



Kupfer-Bleche

(SF Cu W.-Nr. 2.0090) **Cu DHP** W.-Nr. CW 024 A

(E Cu W.-Nr. 2.0060) **Cu ETP** W.-Nr. CW 004 A

(SE Cu W.-Nr. 2.0070) **Cu HCP** W.-Nr. CW 021 A

(OF Cu W.-Nr. 2.0040) **Cu OF** W.-Nr. CW 008 A



Copper-Sheets

EN 1652 (DIN 1751 / 1787 / 17670)

| Dicke mm | kg/ Tfl. | Abmessung mm | SF-Cu | | E-Cu hh | SE-Cu hh | OF-Cu hh |
|-------------|-------------|-----------------|-------|----|------------|-------------|-------------|
| | | | weich | hh | | | |
| 0,3 | 5,4 | 1000 x 2000 | ● | ● | | | |
| 0,4 | 7,1 | 1000 x 2000 | | ● | | | |
| 0,5 | 9,0 | 1000 x 2000 | | ● | | | |
| 0,6 | 10,8 | 1000 x 2000 | | ● | | | |
| 0,7 | 12,5 | 1000 x 2000 | | ● | | | |
| 0,8 | 14,4 | 1000 x 2000 | | ● | | | |
| 0,9 | 16,1 | 1000 x 2000 | | ● | | | |
| 1,0 | 18,0 | 1000 x 2000 | ● | ● | ● | | ● |
| 1,0 | 28,0 | 1250 x 2500 | | ● | | | |
| 1,2 | 21,6 | 1000 x 2000 | | ● | | | |
| 1,4 | 25,0 | 1000 x 2000 | | ● | | | |
| 1,5 | 27,0 | 1000 x 2000 | ● | ● | | | ● |
| 1,5 | 42,0 | 1250 x 2500 | | ● | | | |
| 1,5 | 60,0 | 1500 x 3000 | | ● | | | |
| 1,9 | 33,8 | 1000 x 2000 | | ● | | | |
| 2,0 | 36,0 | 1000 x 2000 | ● | ● | ● | | ● |
| 2,0 | 56,0 | 1250 x 2500 | | ● | | | |
| 2,0 | 80,0 | 1500 x 3000 | | ● | | | |
| 2,4 | 42,8 | 1000 x 2000 | | ● | | | |
| 2,5 | 44,8 | 1000 x 2000 | | | | | ● |
| 3,0 | 53,7 | 1000 x 2000 | | | ● | | ● |
| 3,0 | 85,0 | 1250 x 2500 | | | | ● | |
| 3,0 | 120,0 | 1500 x 3000 | | | | ● | |
| 4,0 | 72,0 | 1000 x 2000 | | | ● | | ● |
| 4,0 | 112,0 | 1250 x 2500 | | | | ● | |
| 4,0 | 160,0 | 1500 x 3000 | | | | ● | |
| 5,0 | 90,0 | 1000 x 2000 | | | ● | | ● |
| 5,0 | 140,0 | 1250 x 2500 | | | | ● | |
| 5,0 | 200,0 | 1500 x 3000 | | | | ● | |
| 6,0 | 108,0 | 1000 x 2000 | | | ● | | ● |
| 6,0 | 240,0 | 1500 x 3000 | | | | ● | |
| 8,0 | 144,0 | 1000 x 2000 | | | | | ● |
| 8,0 | 321,0 | 1500 x 3000 | | | | ● | |
| 10,0 | 180,0 | 1000 x 2000 | | | ● | | ● |
| 10,0 | 400,0 | 1500 x 3000 | | | | ● | |



Kupfer-Platten

(SE Cu, walzhart (W.-Nr. 2.0070)) Cu HCP (W.-Nr. CW 021 A) oder Cu PHC (W.-Nr. CW 020 A)

Copper-Plates

EN 13599 in Anl. (DIN 1787 / 40500)

| Dicke mm | kg/Tfl. | Abmessung 1020 x 3020 mm | Dicke mm | kg/Tfl. | Abmessung 1020 x 3020 mm | Dicke mm | kg/Tfl. | Abmessung 1020 x 2020 mm |
|----------|---------|--------------------------|----------|---------|--------------------------|----------|---------|--------------------------|
| 12,0 | 330,0 | ● | 35,0 | 960,0 | ● | 70,0 | 1285,0 | ● |
| 15,0 | 415,0 | ● | 40,0 | 1100,0 | ● | 80,0 | 1470,0 | ● |
| 17,0 | 470,0 | ● | 45,0 | 1235,0 | ● | 100,0 | 1835,0 | ● |
| 20,0 | 550,0 | ● | 50,0 | 1375,0 | ● | 130,0 | 1210,0 | 1020 x 1020 |
| 25,0 | 685,0 | ● | 60,0 | 1645,0 | ● | 150,0 | 1390,0 | 1020 x 1020 |
| 30,0 | 825,0 | ● | | | | | | |

Dickentoleranz der Platten nur im Plusbereich.

Thickness Tolerance of plates always positive.

Kupfer-Nickel-Bleche

(Cu Ni 10 Fe 1 Mn W.-Nr. 2.0872) Cu Ni 10 Fe 1 Mn W.-Nr. CW 352 H

Copper-Nickel-Sheets

EN 1652 (DIN 17664 / 1751)

| Dicke mm | kg/Tfl. | Abmessung 1000 x 2000 mm | Dicke mm | kg/Tfl. | Abmessung 1000 x 2000 mm |
|----------|---------|--------------------------|----------|---------|--------------------------|
| 1,5 | 27,0 | ● | 6,0 | 108,0 | ● |
| 2,0 | 36,0 | ● | 8,0 | 144,0 | ● |
| 3,0 | 54,0 | ● | 10,0 | 180,0 | ● |
| 4,0 | 72,0 | ● | 12,0 | 216,0 | ● |
| 5,0 | 90,0 | ● | 15,0 | 267,0 | ● |



Kupfer-Rundstangen
(E-Cu W.-Nr. 2.0060) Cu-ETP W.-Nr. CW 004 A
Copper-Round-Bars
 (DIN 1787 / 1756 / 17672 / 40500)



| Durchmesser mm | kg/ mtr. |
|-------------------|-------------|
| 3 | 0,06 |
| 4 | 0,11 |
| 5 | 0,17 |
| 6 | 0,25 |
| 7 | 0,34 |
| 8 | 0,44 |
| 9 | 0,56 |
| 10 | 0,70 |
| 12 | 1,01 |
| 14 | 1,37 |
| 15 | 1,57 |
| 16 | 1,78 |
| 18 | 2,16 |
| 20 | 2,80 |
| 22 | 3,38 |
| 25 | 4,37 |
| 28 | 5,48 |
| 30 | 6,29 |
| 32 | 7,16 |
| 35 | 8,56 |
| 40 | 11,18 |

| Durchmesser mm | kg/ mtr. |
|-------------------|-------------|
| 42 | 12,33 |
| 45 | 14,15 |
| 50 | 17,48 |
| 55 | 21,14 |
| 60 | 25,16 |
| 65 | 29,53 |
| 70 | 34,25 |
| 75 | 38,20 |
| 80 | 44,74 |
| 90 | 56,62 |
| 100 | 69,87 |
| 110 | 85,00 |
| 115 | 92,40 |
| 120 | 101,00 |
| 130 | 118,00 |
| 140 | 137,00 |
| 150 | 157,00 |
| 160 | 179,00 |
| 180 | 226,00 |
| 200 | 280,00 |
| 250 | 437,00 |



Kupfer-Vierkantstangen
(E-Cu W.-Nr. 2.0060) Cu-ETP W.-Nr. CW 004 A
Copper-Square-Bars
EN 13601 (DIN 1761 / 17672 / 40500)

| Abmessung mm | kg/mtr. | Abmessung mm | kg/mtr. | Abmessung mm | kg/mtr. | Abmessung mm | kg/mtr. |
|--------------|---------|--------------|---------|--------------|---------|--------------|---------|
| 6 x 6 | 0,32 | 16 x 16 | 2,28 | 35 x 35 | 10,90 | 90 x 90 | 72,10 |
| 8 x 8 | 0,57 | 20 x 20 | 3,56 | 40 x 40 | 14,24 | 100 x 100 | 89,96 |
| 10 x 10 | 0,89 | 25 x 25 | 5,56 | 50 x 50 | 22,25 | 70 x 70 | 43,61 |
| 15 x 15 | 2,00 | 30 x 30 | 8,01 | 60 x 60 | 32,04 | 80 x 80 | 56,96 |

Kupfer-Flachstangen
(E-Cu W.-Nr. 2.0060) Cu-ETP W.-Nr. CW 004 A
Copper-Flat-Bars
EN 13601 (DIN 1759, scharfkantig / DIN 46433, rundkantig)

| Abmessung mm | kg/mtr. | Abmessung mm | kg/mtr. | Abmessung mm | kg/mtr. | Abmessung mm | kg/mtr. |
|--------------|---------|--------------|---------|--------------|---------|--------------|---------|
| 10 x 3 | 0,27 | 25 x 8* | 1,80 | 50 x 8 | 3,56 | 80 x 30 | 21,36 |
| 10 x 4 | 0,36 | 25 x 10* | 2,25 | 50 x 10* | 4,50 | 80 x 40 | 28,48 |
| 10 x 5* | 0,45 | 25 x 15 | 3,34 | 50 x 12* | 5,34 | 80 x 50 | 35,60 |
| 10 x 8 | 0,71 | 30 x 3 | 0,81 | 50 x 15* | 6,75 | 100 x 5 | 4,50 |
| 12 x 3 | 0,32 | 30 x 4 | 1,08 | 50 x 20 | 8,90 | 100 x 8 | 7,28 |
| 12 x 4 | 0,42 | 30 x 5* | 1,35 | 50 x 25 | 11,13 | 100 x 10* | 9,00 |
| 12 x 5* | 0,53 | 30 x 6* | 1,62 | 50 x 30 | 13,35 | 100 x 12* | 10,68 |
| 12 x 8 | 0,85 | 30 x 8* | 2,16 | 50 x 40 | 17,80 | 100 x 15 | 13,50 |
| 12 x 10 | 1,07 | 30 x 10* | 2,70 | 60 x 4* | 2,14 | 100 x 20 | 18,00 |
| 15 x 3 | 0,40 | 30 x 12* | 3,20 | 60 x 5* | 2,70 | 100 x 25 | 22,25 |
| 15 x 4* | 0,54 | 30 x 15 | 4,01 | 60 x 6* | 3,21 | 100 x 30 | 26,70 |
| 15 x 5* | 0,67 | 30 x 20* | 5,40 | 60 x 8* | 4,27 | 100 x 40 | 35,60 |
| 15 x 6* | 0,80 | 35 x 3 | 0,94 | 60 x 10* | 5,40 | 100 x 50 | 44,50 |
| 15 x 8 | 1,08 | 35 x 4 | 1,25 | 60 x 12* | 6,41 | 120 x 5* | 5,45 |
| 15 x 10 | 1,35 | 40 x 3 | 1,08 | 60 x 15* | 8,01 | 120 x 10* | 10,80 |
| 20 x 2 | 0,36 | 40 x 4 | 1,44 | 60 x 20 | 10,80 | 120 x 12* | 12,82 |
| 20 x 3 | 0,54 | 40 x 5* | 1,80 | 60 x 25 | 13,35 | 120 x 15* | 16,02 |
| 20 x 4 | 0,72 | 40 x 6 | 2,16 | 60 x 30 | 16,02 | 120 x 20 | 21,36 |
| 20 x 4,5* | 0,80 | 40 x 8 | 2,88 | 60 x 40 | 21,36 | 120 x 30 | 32,04 |
| 20 x 5* | 0,90 | 40 x 10* | 3,60 | 70 x 5* | 3,12 | 120 x 40 | 42,72 |
| 20 x 6* | 1,07 | 40 x 12* | 4,27 | 70 x 10* | 6,23 | 140 x 10* | 12,60 |
| 20 x 8* | 1,44 | 40 x 15 | 5,40 | 80 x 5 | 3,60 | 140 x 15 | 18,81 |
| 20 x 10* | 1,80 | 40 x 20 | 7,20 | 80 x 6* | 4,32 | 150 x 10* | 13,50 |
| 20 x 12* | 2,14 | 40 x 25 | 8,90 | 80 x 8* | 5,70 | 150 x 15 | 20,46 |
| 20 x 15 | 2,70 | 40 x 30* | 10,80 | 80 x 10* | 7,12 | 160 x 15* | 21,60 |
| 25 x 3 | 0,68 | 50 x 3 | 1,35 | 80 x 12* | 8,54 | 160 x 10 | 14,40 |
| 25 x 4 | 0,90 | 50 x 4* | 1,80 | 80 x 15* | 10,80 | 200 x 10* | 18,00 |
| 25 x 5* | 1,13 | 50 x 5* | 2,25 | 80 x 20 | 14,24 | 200 x 15 | 26,70 |
| 25 x 6* | 1,34 | 50 x 6 | 2,67 | 80 x 25 | 17,80 | 200 x 20 | 36,00 |

* rundkantig
* round edges



Kupfer-Rundrohre

(**SF-Cu** W.-Nr. 2.0090) **Cu-DHP** W.-Nr. CW 024 A

Copper-Round-Tubes

EN 1057 (DIN 1787 / 1754 / 17671)



| Abmessung mm | kg/ mtr. |
|-----------------|-------------|
| 4 x 1,0 | 0,08 |
| 6 x 1,0 | 0,14 |
| 8 x 1,0 | 0,20 |
| 10 x 1,0 | 0,25 |
| 12 x 1,0 | 0,31 |
| 15 x 1,0 | 0,39 |
| 15 x 1,5 | 0,57 |
| 18 x 1,0 | 0,48 |
| 18 x 1,5 | 0,70 |
| 22 x 1,0 | 0,59 |

